
KY-2001 Series

2.00mm Pitch Wire to board connectors




SPECIFICATIONS

- Voltage rating: 100V AC/DC
- Current rating: 2A AC/DC
- Withstanding Voltage:800V AC/minute
- Insulation resistance:1000MΩ Min.
- Temperature range:–25 ℃ – +85 ℃
- Contact resistance:20mΩ Max.

KY-2001HS-XX 2.00mm Pitch Housing

HOUSING

- Part No.:KY–2001HS–XX
- Poles:2–16
- Material:Nylon66 UL 94V–0 or 94V–2
- Q'ty:1,000 Pcs/Bag




Ordering Information & Dimensions

POLES	PART NO.	DIMENSION(mm)	
		A	B
2	KY–2001HS–02	2.00	4.60
3	KY–2001HS–03	4.00	6.60
4	KY–2001HS–04	6.00	8.60
5	KY–2001HS–05	8.00	10.60
6	KY–2001HS–06	10.00	12.60
7	KY–2001HS–07	12.00	14.60
8	KY–2001HS–08	14.00	16.60
9	KY–2001HS–09	16.00	18.60
10	KY–2001HS–10	18.00	20.60
11	KY–2001HS–11	20.00	22.60
12	KY–2001HS–12	22.00	24.60
13	KY–2001HS–13	24.00	26.60
14	KY–2001HS–14	26.00	28.60
15	KY–2001HS–15	28.00	30.60
16	KY–2001HS–16	30.00	32.60

TEL:+86(0)769-82036866 82076766 FAX:+86(0)769-82076788
E-mail£ºkkg@kkg.tw Http://www.kkg.tw


KY-2001TPS-10 2.00mm Pitch Terminal



TERMINAL

- Part No.:KY–2001TPS–10
- Thickness:0.20mm
- Material:Phosphor Bronze
- Finish:Tin Plated
- Q'ty:10,000 Pcs/Reel

KY-2001WS-XX 2.00mm Pitch 180° Wafer



P.C.B LAYOUT

WAFER


- Part No.:KY–2001WS–XX
- Poles:2–16
- Material:Base:Nylon 66 UL 94V–0 or 94V–2
- Contact:Brass,Tin Plated
- Q'ty:1,000 Pcs/Bag

Ordering Information & Dimensions

POLES	PART NO.	DIMENSION(mm)	
		A	B
2	KY–2001WS–02	2.00	6.00
3	KY–2001WS–03	4.00	8.00
4	KY–2001WS–04	6.00	10.00
5	KY–2001WS–05	8.00	12.00
6	KY–2001WS–06	10.00	14.00
7	KY–2001WS–07	12.00	16.00
8	KY–2001WS–08	14.00	18.00
9	KY–2001WS–09	16.00	20.00
10	KY–2001WS–10	18.00	22.00
11	KY–2001WS–11	20.00	24.00
12	KY–2001WS–12	22.00	26.00
13	KY–2001WS–13	24.00	28.00
14	KY–2001WS–14	26.00	30.00
15	KY–2001WS–15	28.00	32.00
16	KY–2001WS–16	30.00	34.00

TEL:+86(0)769-82036866 82076766 FAX:+86(0)769-82076788
E-mail£ºkkg@kkg.tw Http://www.kkg.tw

KY-2001WR-XX 2.00mm Pitch 90° Wafer



P.C.B LAYOUT


WAFER

- Part No.:KY–2001WR–XX
- Poles:2–16
- Material:Base:Nylon 66 UL 94V–2 or 94V–0
- Contact:Brass,Tin Plated
- Q'ty:1,000 Pcs/Bag

Ordering Information & Dimensions

POLES	PART NO.	DIMENSION(mm)	
		A	B
2	KY–2001WR–02	2.00	6.00
3	KY–2001WR–03	4.00	8.00
4	KY–2001WR–04	6.00	10.00
5	KY–2001WR–05	8.00	12.00
6	KY–2001WR–06	10.00	14.00
7	KY–2001WR–07	12.00	16.00
8	KY–2001WR–08	14.00	18.00
9	KY–2001WR–09	16.00	20.00
10	KY–2001WR–10	18.00	22.00
11	KY–2001WR–11	20.00	24.00
12	KY–2001WR–12	22.00	26.00
13	KY–2001WR–13	24.00	28.00
14	KY–2001WR–14	26.00	30.00
15	KY–2001WR–15	28.00	32.00
16	KY–2001WR–16	30.00	34.00

KY-2001WSS-XX 2.00mm Pitch 180° Wafer SMT Type



P.C.B LAYOUT

WAFER

- Part No.:KY–2001WSS–XX
- Poles:2–16
- Material:Base:Nylon 6T UL 94V–0
- Contact:Brass,Tin Plated
- Q'ty:500 Pcs/Reel

Ordering Information & Dimensions


POLES	PART NO.	DIMENSION(mm)	
		A	B
2	KY–2001WSS–02	2.00	8.00
3	KY–2001WSS–03	4.00	10.00
4	KY–2001WSS–04	6.00	12.00
5	KY–2001WSS–05	8.00	14.00
6	KY–2001WSS–06	10.00	16.00
7	KY–2001WSS–07	12.00	18.00
8	KY–2001WSS–08	14.00	20.00
9	KY–2001WSS–09	16.00	22.00
10	KY–2001WSS–10	18.00	24.00
11	KY–2001WSS–11	20.00	26.00
12	KY–2001WSS–12	22.00	28.00
13	KY–2001WSS–13	24.00	30.00
14	KY–2001WSS–14	26.00	32.00
15	KY–2001WSS–15	28.00	34.00
16	KY–2001WSS–16	30.00	36.00

TEL:+86(0)769-82036866 82076766 FAX:+86(0)769-82076788
E-mail£ºkkg@kkg.tw Http://www.kkg.tw

KY-2001WRS-XX 2.00mm Pitch 90° Wafer SMT Type

WAFER

- Part No.:KY–2001WRS–XX
- Poles:2–16
- Material:Base:Nylon 6T UL 94V–0
- Contact:Brass,Tin Plated
- Q'ty:500 Pcs/Reel



Ordering Information & Dimensions

POLES	PART NO.	DIMENSION(mm)	
		A	B
2	KY–2001WRS–02	2.00	8.00
3	KY–2001WRS–03	4.00	10.00
4	KY–2001WRS–04	6.00	12.00
5	KY–2001WRS–05	8.00	14.00
6	KY–2001WRS–06	10.00	16.00
7	KY–2001WRS–07	12.00	18.00
8	KY–2001WRS–08	14.00	20.00
9	KY–2001WRS–09	16.00	22.00
10	KY–2001WRS–10	18.00	24.00
11	KY–2001WRS–11	20.00	26.00
12	KY–2001WRS–12	22.00	28.00
13	KY–2001WRS–13	24.00	30.00
14	KY–2001WRS–14	26.00	32.00
15	KY–2001WRS–15	28.00	34.00
16	KY–2001WRS–16	30.00	36.00

TEL:+86(0)769-82036866 82076766 FAX:+86(0)769-82076788
E-mail£ºkkg@kkg.tw Http://www.kkg.tw