


### SPECIFICATIONS

- Voltage rating: 1250V AC/DC
- Current rating: 1A AC/DC
- Withstanding Voltage: 800V AC/minute
- Insulation resistance: 1000MΩ Min.
- Temperature range: -25 °C – +85 °C
- Contact resistance: 20mΩ Max.

### KY-2003HS-XX 2.00mm Pitch Single Row Housing

#### HOUSING


- Part No.: KY-2003HS-XX
- Poles: 2-15
- Material: Nylon66 UL 94V-0
- Q'ty: 1,000 Pcs/Bag



### Ordering Information & Dimensions

POLES	PART NO.	DIMENSION(mm)	
		A	B
2	KY-2003HS-02	2.00	4.90
3	KY-2003HS-03	4.00	6.90
4	KY-2003HS-04	6.00	8.90
5	KY-2003HS-05	8.00	10.90
6	KY-2003HS-06	10.00	12.90
7	KY-2003HS-07	12.00	14.90
8	KY-2003HS-08	14.00	16.90
9	KY-2003HS-09	16.00	18.90
10	KY-2003HS-10	18.00	20.90
11	KY-2003HS-11	20.00	22.90
12	KY-2003HS-12	22.00	24.90
13	KY-2003HS-13	24.00	26.90
14	KY-2003HS-14	26.00	28.90
15	KY-2003HS-15	28.00	30.90


#### KY-2003TPS-10 2.00mm Pitch Terminal



#### TERMINAL

- Part No.:KY-2003TPS-10
- Thickness:0.20mm
- Material:Phosphor.Bronze
- Finish:Tin Plated
- Q'ty:10,000 Pcs/Reel

#### KY-2003WS-XX 2.00mm Pitch 180° Single Row Wafer



#### WAFER

- Part No.:KY-2003WS-XX
- Poles:2-15
- Material:Base:Nylon66 UL 94V-0
- Contact:Brass,Tin Plated
- Q'ty:1,000 Pcs/Bag





#### Ordering Information & Dimensions

POLES	PART NO.	DIMENSION(mm)	
		A	B
2	KY-2003WS-02	2.00	6.10
3	KY-2003WS-03	4.00	8.10
4	KY-2003WS-04	6.00	10.10
5	KY-2003WS-05	8.00	12.10
6	KY-2003WS-06	10.00	14.10
7	KY-2003WS-07	12.00	16.10
8	KY-2003WS-08	14.00	18.10
9	KY-2003WS-09	16.00	20.10
10	KY-2003WS-10	18.00	22.10
11	KY-2003WS-11	20.00	24.10
12	KY-2003WS-12	22.00	26.10
13	KY-2003WS-13	24.00	28.10
14	KY-2003WS-14	26.00	30.10
15	KY-2003WS-15	28.00	32.10

### KY-2003WR-XX 2.00mm Pitch 90° Single Row Wafer

#### WAFER

- Part No.:KY-2003WR-XX
- Poles:2-15
- Material:Base:Nylon66 UL 94V-0
- Contact:Brass,Tin Plated
- Q'ty:1,000 Pcs/Bag



#### Ordering Information & Dimensions

POLES	PART NO.	DIMENSION(mm)	
		A	B
2	KY-2003WR-02	2.00	6.10
3	KY-2003WR-03	4.00	8.10
4	KY-2003WR-04	6.00	10.10
5	KY-2003WR-05	8.00	12.10
6	KY-2003WR-06	10.00	14.10
7	KY-2003WR-07	12.00	16.10
8	KY-2003WR-08	14.00	18.10
9	KY-2003WR-09	16.00	20.10
10	KY-2003WR-10	18.00	22.10
11	KY-2003WR-11	20.00	24.10
12	KY-2003WR-12	22.00	26.10
13	KY-2003WR-13	24.00	28.10
14	KY-2003WR-14	26.00	30.10
15	KY-2003WR-15	28.00	32.10